

008260" 889T 2950

S00P1041

版四第

1 / 23

FIG. 1





FIG. 2



008250" 889T/960

FIG. 3A

MAIN-BODY ROLLING
PHENOMENON




FIG. 3B

MAIN-BODY ROLLING
PHENOMENON




FIG. 4A

MAIN-BODY ROLLING
PHENOMENON




FIG. 4B

MAIN-BODY ROLLING
PHENOMENON




Fig. 1 is a schematic diagram of a vehicle interior. It shows a seat 105 and a control panel 106. The panel includes a display 108, a spring 125, a control unit 126 with a 'C' button, a lever 124, a switch 123, and a base 122. Arrows indicate movement: 'D' for vertical and 'E' for horizontal.

FIG. 6





FIG. 7



008250 " 889T 2960

FIG. 8A




FIG. 8B




FIG. 9A




FIG. 9B






FIG. 10



008260" 889T/960

FIG. 11



003250 " 889T/960

FIG. 13A




FIG. 13B




FIG. 15






FIG. 16A




FIG. 16B





FIG. 16C



008260" 889T/950

FIG. 17A




FIG. 17B




FIG. 18A





FIG. 18B



009260 8897960

FIG. 19A




FIG. 19B




FIG. 20A




FIG. 20B




FIG. 21A




FIG. 21B




FIG. 22A




FIG. 22B




FIG. 23A

MAIN-BODY
ROLLING
DIRECTION




FIG. 23B

